

soins palliatifs :

repères dans une société en changement



AQSP
Association québécoise
de soins palliatifs

35^e congrès
annuel

6, 7 et 8
mai 2026

Hôtel Delta Sherbrooke
et Centre de congrès

"Que savons-nous de l'expérience des adolescents vivant la perte prévisible d'un parent"

Sabrina Anissa EL Mansali, M.sc, MBA, étudiante au doctorat en recherche en sciences de la santé - UdeS

Directrice de recherche : **Pre Diane Guay**


Université de Sherbrooke




CENTRE DE
RECHERCHE



Chaire de recherche en sciences de la compassion



Divulgation de conflits d'intérêts potentiels (*Principe de divulgation - «disclosure»*)

- *Afin de respecter les règles d'éthique en vigueur, je déclare que je n'ai aucun conflit d'intérêt réel ou potentiel en lien ou non avec le contenu de cette présentation.*
- 

Divulgation

AFFILIATION

- *Coresponsable de l'axe sur les populations étudiantes culturelles internationales et immigrantes (P4) de l'Observatoire sur la santé mentale étudiante en enseignement supérieur (OSMÉES)*
- *Institut de recherche sur le cancer de l'Université de Sherbrooke (IRCUS)*
- *Réseau québécois de recherche en soins palliatifs et de fin de vie (RQSPAL)*
- *Centre de recherche du CHUS (CRCHUS)*
- *Centre de recherche et d'intervention sur le suicide, enjeux éthiques et pratiques de fin de vie (CRISE)*

PERSPECTIVE

- *Définition: « Les perspectives sont des tendances naturelles à percevoir et agir de façon influencée, consciemment ou non, par des facteurs cognitifs, sociaux ou personnels, enrichissant nos décisions, mais pouvant aussi les affecter négativement. »*


BIAIS OU CONFLITS D'INTÉRÊTS (RÉELS OU POTENTIELS) : Aucun

MESURES D'ATTÉNUATION : En accord avec le comité scientifique, aucune requise



Utilisation intelligence artificielle


Je déclare ne pas avoir utilisé l'intelligence
artificielle






Objectifs

À la fin de cette présentation, la personne participante sera en mesure de mieux :

- Décrire la problématique de la perte prévisible vécue par les adolescents;
 - Démontrer comment distinguer la perte du deuil;
 - Expliquer les conséquences vécues par ces adolescents, les gains expérimentiels, les besoins et les stratégies d'adaptation;
 - Mobiliser l'approche constructiviste de la théorisation ancrée.
- 



Plan de la présentation

- Problématique
- Définition des concepts clés (CC)
- Distinguer la perte et le deuil
- Cadre de référence
- Recension des écrits
- Objectifs/ et questions de recherche
- Méthodologie de recherche
- Forces et limites anticipées de l'étude



soins palliatifs :

repères
dans une société
en changement



AQSP

Association québécoise
de soins palliatifs

35^e congrès
annuel

6, 7 et 8
mai 2026

Hôtel Delta Sherbrooke
et Centre de congrès

- Objectif 1 : Décrire la problématique de la perte prévisible vécue par les adolescents

Statistiques

États-Unis - 4,8 millions de jeunes vivent le décès d'un parent¹

Canada - En 2022, 334 623 Canadiens sont décédés²

- \approx 140 000 jeunes âgés entre 14 à 24 ans⁴

Québec - 90 % des personnes décèdent d'une maladie chronique ou incurable (dont 1/3 ont des jeunes)^{2,3}

- \approx 27 000 jeunes au Québec⁴



Illustration tirée de : <https://urls.fr/ZtCEZA>

**1 jeune par
classe⁴**

Définition des principaux concepts

Adolescence

- Début marqué par la puberté. Fin plus difficile à déterminer.
- 3 phases : Préadolescence, adolescence intermédiaire et adolescence tardive.
- Changements sur le plan biologique, physiologique, psychologique et social.
- Marqué par de nombreuses tâches développementales.

Perte prévisible

- Survient à la suite d'un décès causé par une maladie incurable ou chronique qui limite la vie de la personne dans un délai de temps relativement court.
- La plus prévalente au Québec (\approx 90% des décès).





Illustration tirée de : <https://urls.fr/ZtCEZa>

Définition des principaux concepts





soins palliatifs :

repères
dans une société
en changement



AQSP

Association québécoise
de soins palliatifs

35^e congrès
annuel

6, 7 et 8
mai 2026

Hôtel Delta Sherbrooke
et Centre de congrès

- Objectif 2 : Démontrer comment distinguer la perte du deuil



**DISTINGUER LA
PERTE ET LE DEUIL**

Vivre avec un PAMI à l'adolescence

- Se sentir un fardeau pour la famille
- Gérer plusieurs émotions
- Solitude aggravée par : difficulté de communication familiale et incompréhension de ses pairs



Avant

Vivre :

des pertes successives et irrémédiables
de la détresse psychologique
du stress post-traumatique

Pendant le décès

- Décès d'un parent peut constituer un traumatisme pour certains adolescents
- Circonstances du décès
- Style d'attachement au parent

- Insécure
- Anxieux et d'évitement



Deuil compliqué et stress post-traumatique, problèmes d'intériorisation et d'extériorisation



Pendant

Quelle est
l'expérience
des
adolescents qui
ont vécu la
perte prévisible
de leur parent ?



Identification des études via des bases de données et des registres

Identification

Références identifiées dans les bases de données (N = 854)
Academic Search Complete (n= 283). Medline (n= 232). APA PsycInfo (n= 177). Cinahl (n= 165).

Après la suppression de doublons
(n =538)

Sélection

Études examinées (n =538)

Références exclues (titre et résumé)
(n = 499)

Études évaluées (textes intégraux)
(n=39)

Études exclues (n=25):
1^e raison (n = 8), population spécifique
2^e raison (n = 5), liens avec défunt ≠
3^e raison (n =9), ≠ pertes

Inclus

Études incluses (n=15)

Prisma 2020

Problématique + CC


Cadre de référence

Recension

Méthodologie

Forces/limites

Synthèse des résultats



➤ Pays : Suède (n=7), Norvège (n=1), Canada (n=1), É.-U. (n=2), Australie (n=1), Afrique à Sud (n=1), Royaume-Uni (n=1) et Japon (n=1).

➤ N entre 5 et 1272



soins palliatifs :

repères dans une société en changement



AQSP

Association québécoise
de soins palliatifs

35^e congrès
annuel

6, 7 et 8
mai 2026

Hôtel Delta Sherbrooke
et Centre de congrès

- Objectif 3 : Expliquer les conséquences vécues par ces adolescents, les gains expérientiels, les besoins et les stratégies d'adaptation

Synthèse des résultats sur l'expérience des adolescents qui ont vécu la PPP sous l'angle

9, 10, 11, 13

Besoins

Classé
✓ avant le décès (AVD)
✓ après le décès (APD)

1, 2, 3, 4, 7, 8, 9, 11 et 14

Stratégies d'adaptation

Utilisation du DPM
✓ AVD
✓ APD

1: Sheehan et al., 2016
2: Melcher et al., 2015
3: Dehlin et al., 2009
4: Angelhoff et al., 2021
5: Bylund-Grenklo et al., 2021

2, 3, 5, 7, 8

Gains expérientiels

Classé
✓ AVD
✓ APD

6: Birgisdóttir et al., 2019
7: Hirooka Kayo et al., 2018
8: Lundberg et al., 2018
9: Thupayagale-Tshweneagae et al., 2012


2, 3, 4, 5, 7, 8, 10, 15

Conséquences négatives


Classé AVD, APD
Plan émotif, comportemental et cognitif

10: Patterson et al., 2010
11: Cait, 2005
12: Mirealut et al., 1997
13: Bergersen et al., 2022
14: Scott et al., 2025
15: Bylund-Grenklo et al., 2016

Résultats des études retenues au sujet des besoins exprimés par les adolescents qui vivent la PPP



Cadre de référence : Le modèle d'ajustement au deuil en double processus (DPM) (Stroebe et Schut, 2010). Traduction libre



Résultats des études retenues au sujet des stratégies d'adaptation déployées par les adolescents AVD de leur PPP (PAMI)

Stratégies d'adaptation

Orientées vers la perte

1. S'adapter^{1,3} Se préparer²
2. Vivre de la peine et de la douleur²
3. Se détacher^{2,3}
4. Déni/évitement des changements à la récupération

Autres stratégies? Se rapprocher du parent malade, se sentir submergé.


Orientées vers la récupération

1. Assister aux changements de vie
2. S'engager¹/Ambiance³
3. Jouer, sortir³
4. Éviter le sujet^{1,3}
5. Nouveau rôle, se responsabiliser¹

**Oscillation
(monde malade et sain)¹**

Vert : commun à l'AVD et l'APD. Rouge : inconnu

Résultats des études retenues au sujet des stratégies d'adaptation déployées par les adolescents APD de leur PPP



Résultats des études retenues au sujet des gains expérientiels des adolescents qui ont vécu la PPP

Gains expérientiels

Avant le décès

Devenir plus mature³

Adopter un nouveau rôle protecteur au sein de la famille²

Après le décès

Devenir plus mature⁵

Devenir plus optimiste, apprécier davantage la vie⁸

Développer une vie spirituelle⁷

Vert : commun à l'AVD et l'APD

À long terme, certains adolescents endeuillés de leur parent vivent

- Nouvelle perspective de vie.
- Transformation positive dans les relations avec les autres.
- Résilience.



“suffering makes you learn a lot about life, about yourself, about others, about everything — it makes you grow” (p. 92)¹

Résultats des études retenues au sujet des conséquences négatives vécues par les adolescents qui ont vécu la PPP

Conséquences	Cognitives	Émotives	Comportementales
AVD	Incompréhension ³	Solitude ²	Inconnu
APD	Faible satisfaction face à la vie ⁸ et de soi, ^{4,8} perte de motivation, problèmes de concentration à l'école ⁷ Augmentation de risque de deuil compliqué ⁵	Colère ^{8,14} , solitude ⁸ , tristesse ⁸ et frustration ⁷ Choc ¹³	Problèmes de comportements, abus de substances ⁸ Problèmes de sommeil ⁷

Vert : commun à l'AVD et l'APD. Rouge : inconnu

Conséquences négatives de vivre le deuil d'un parent à l'adolescence

À court/moyen terme

- **Santé mentale** ↑ dépression, anxiété, trouble alimentaire



À long terme

- 10% développent un trouble du deuil prolongé^{1,2}
- Symptômes dépressifs, anxiété.

- ↓ Performance scolaire, estime de soi

- **Santé physique** : ↑ fatigue, insomnie



- ↑ des maladies physiques (ex. cardiovasculaires)

- ↑ Problèmes de consommation et agressivité



- Changement dans le cortex préfrontal

Constats de la recension

- Le principe d'oscillation du DPM semble pertinent pour classer les stratégies d'adaptation avant le décès¹⁻³. Cohérent avec la proposition théorique.
- L'expérience des adolescents qui ont vécu la PPP est étudiée de manière morcelée.
- Le processus d'adaptation des adolescents à la PPP est méconnu.
- PPP prévalente au Québec ... Pourtant, absence de portrait québécois ?



soins palliatifs :

repères
dans une société
en changement



AQSP

Association québécoise
de soins palliatifs

35^e congrès
annuel

6, 7 et 8
mai 2026

Hôtel Delta Sherbrooke
et Centre de congrès

- Objectif 4 : Mobiliser l'approche constructiviste de la théorisation ancrée.

Approche constructiviste de la théorisation ancrée

Objectif : Comprendre le processus d'adaptation des adolescents qui ont vécu la PPP.

Question de recherche : Quel est le processus d'adaptation à la perte prévisible d'un parent à l'adolescence ?

Devis qualitatif de théorisation ancrée.

- Proposer **une théorie**;
- Paradigme constructiviste et interprétatif;

Problématique + CC

Cadre de référence

Recension

Méthodologie

Forces/limites

Échantillonnage de convenance

Recrutement

Collaboration avec cinq organismes pour
endeuillés.

10 à 15 participants.

Infographie : affiches + réseaux sociaux).

Avoir vécu le décès d'un PPP durant
l'adolescence.

Le décès d'un PPP survenu ≥ 6 mois - ≤ 5 ans.
Comprendre + parler français.

Ensuite échantillonnage théorique

**Processus
itératif (aller-
retour)**

Entrevue d'éligibilité.

Entrevue semi-dirigée (± 60
minutes).

Nvivo.

Codage initial, focalisé et théorique.
Journal de bord et les mémos.

Collecte de données

Analyse

Retombées anticipées de l'étude

Retombées scientifiques

- Avancement des connaissances
- Modélisation théorique
- Réflexion épistémologique

Retombées cliniques et psychosociales

- Amélioration des pratiques d'intervention
- Prévention des troubles du deuil
- Soutien aux familles.

Retombées éducatives et communautaires

- Formation des intervenants
- Renforcement des ressources communautaires
- Empowerment des adolescents

Retombées politiques et institutionnelles

- Influence sur les politiques publiques
- Création de programmes spécialisée pour les adolescents vivant la PPP

Période de
questions



Références bibliographiques

- Aguirre, L. C., Jaramillo, A. K., Victoria, T. S., et Carvajal, A. B. (2024). Mental health consequences of parental death and its prevalence in children: A systematic literature review. *Heliyon*, 10(2).
- Alvis, L., Zhang, N., Sandler, I. N., et Kaplow, J. B. (2023). Developmental manifestations of grief in children and adolescents: Caregivers as key grief facilitators. *Journal of Child & Adolescent Trauma*, 16(2), 447-457.
- Angelhoff, C., Sveen, J., Alvariza, A., Weber-Falk, M. et Kreicbergs, U. (2021). Communication, self-esteem and prolonged grief in parent-adolescent dyads, 1–4 years following the death of a parent to cancer. *European Journal of Oncology Nursing*, 50, 101883. <https://doi.org/10.1016/j.ejon.2020.101883>
- Apelian, E., et Nesteruk, O. (2017). Reflections of young adults on the loss of a parent in adolescence. *International Journal of Child, Youth Family Studies*, 8(3/4), 79–100.
- Arslan, B., Özer, Z., et Buldukoğlu, K. (2020). Posttraumatic growth in parentally bereaved children and adolescents: A systematic review. *Death Studies*, 46, 111 - 123. <https://doi.org/10.1080/07481187.2020.1716886>.
- Asgari, Z., et Naghavi, A. (2020). The experience of adolescents' post-traumatic growth after sudden loss of father. *Journal of Loss and Trauma*, 25(2), 173–187.
- Balk, D., et Corr, C. A. (2009). *Adolescent encounters with death, bereavement and coping*. Springer
- Bambico, F. R., Lacoste, B., Hattan, P. R., et Gobbi, G. (2015). Father absence in the monogamous California mouse impairs social behavior and modifies dopamine and glutamate synapses in the medial prefrontal cortex. *Cerebral Cortex*, 25(5), 1163–1175.
- Biank, N. M. et Werner-Lin, A. (2011). Growing up with grief: revisiting the death of a parent over the life course. *OMEGA-Journal of Death and Dying*, 63(3), 271-290.
- Barrett, C. (2003). *Bereavement camp: A qualitative analysis of a therapeutic program for grieving youth*.

Références bibliographiques

- Bergersen, E., Larsson, M., Lövgren, M., et Olsson, C. (2022). Adolescents' and young people's needs and preferences for support when living with a parent with life-threatening cancer: a grounded theory study. *BMC palliative care*, 21(1), 164.
- Birgisdóttir, D., Bylund Grenklo, T., Nyberg, T., Kreicbergs, U., Steineck, G. et Fürst, C. J. (2019). Losing a parent to cancer as a teenager: Family cohesion in childhood, teenage, and young adulthood as perceived by bereaved and non-bereaved youths. *Psycho-Oncology*, 28(9), 1845-1853. <https://doi.org/10.1002/pon.5163>
- Birks, M., et Mills, J. (2015). *Grounded theory – A practical guide* (2th ed.). London : Sage Publications. (p. 153-154).
- Burns, M., Griese, B., King, S., et Talmi, A. (2020). Childhood bereavement: Understanding prevalence and related adversity in the United States. *American Journal of Orthopsychiatry*, 90(4), 391–405. <https://doi.org/10.1037/ort0000442>
- Bylund-Grenklo, T., Fürst, C. J., Nyberg, T., Steineck, G., et Kreicbergs, U. (2016). Unresolved grief and its consequences. A nationwide follow-up of teenage loss of a parent to cancer 6–9 years earlier. *Supportive Care in Cancer*, 24, 3095–3103. <https://doi.org/10.1007/s00520-016-3128-4>
- Bylund-Grenklo, T., Birgisdóttir, D., Beernaert, K., Nyberg, T., Skokic, V., Kristensson, J., ... et Kreicbergs, U. (2021). Acute and long-term grief reactions and experiences in parentally cancer-bereaved teenagers. *BMC Palliative Care*, 20(1), 1-15. <https://doi.org/10.1186/s12904-021-00758-7>
- Cait, C. A. (2005). Parental death, shifting family dynamics, and female identity development. *OMEGA-Journal of Death and Dying*, 51(2), 87-105. <https://doi.org/10.2190/DXNM-MHFD-7T8U-RWQ8>
- Carr, D. (2012). Death and dying in the contemporary United States: What are the psychological implications of anticipated death ? *Social and Personality Psychology Compass*, 6(2), 184-195. <https://doi.org/10.1111/j.1751-9004.2011.00416.x>
- Charmaz, k. (2000). «Grounded theory: Objectivist and constructivist methods», dans N.K. Denzin et Y.S. Lincoln (dir.), *Handbook of Qualitative Research*, 2e éd., Thousand Oaks, Sage Publications, p. 509-535
- Charmaz, K. (2014). *Constructing grounded theory*. (2e éd.). Thousand Oaks, CA: SAGE.
- Cherblanc et Bergeron-Leclerc, 2024 repéré dans [Une subvention de 530 000 \\$ octroyée au professeur Jacques Cherblanc et à la professeure Christiane Bergeron-Leclerc pour étudier le phénomène de l'orphelinage au Canada - UQACTualités](#)

Références bibliographiques

- Cinzia, P. A., Montagna, L., Mastroianni, C., Giuseppe, C., Piredda, M., et de Marinis, M. G. (2014). Losing a parent: analysis of the literature on the experiences and needs of adolescents dealing with grief. *Journal of Hospice & Palliative Nursing*, 16(6), 362-373.
- Cloutier, R. et Drapeau, S. (2015). *Psychologie de l'adolescence* (4e éd). Gaëtan Morin.
- Corak, M. (2001). Death and divorce: The long-term consequences of parental loss on adolescents. *Journal of Labor Economics*, 19(3), 682–715.
- Dehlin, L. et Reg, L. M. (2009). Adolescents' experiences of a parent's serious illness and death. *Palliative et supportive care*, 7(1), 13-25. <https://doi.org/10.1017/S1478951509000042>
- Erikson, E. (1968). *Identity, youth and crisis*. New York: Norton.
- Garber, B. (2013). Adolescent mourning: a paradigmatic case report. *In Adolescent Psychiatry*, V. 25 (pp. 101-117). Routledge.
- Gavazzi, S. M., & Lim, J. Y. (2023). Family systems and adolescent grief: A systemic review of the literature. *Journal of Family Social Work*, 26(1), 1–17. <https://doi.org/10.1080/10522158.2022.2150663>
- Guzzo, G., et Gobbi, E. (2023). Adolescents facing parental terminal illness: A scoping review of psychosocial needs and support interventions. *Palliative & Supportive Care*, 21(2), 234–246. <https://doi.org/10.1017/S1478951522000894>
- Fung, A. L., et Browne, W. V. (2025). Post-Traumatic Growth Following Bereavement Among Children and Adolescents: A Systematic Review. *Journal of Loss and Trauma*, 30(5), 614-641.
- Hirooka, K., Fukahori, H., Ozawa, M. et Akita, Y. (2018). Differences in posttraumatic growth and grief reactions among adolescents by relationship with the deceased. *Journal of Advanced Nursing*, 73(4), 955-965. <https://doi.org/10.1111/jan.13535>
- Hill, R. M., Kaplow, J. B., Oosterhoff, B., et Layne, C. M. (2019). Understanding grief reactions, thwarted belongingness, and suicide ideation in bereaved adolescents: Toward a unifying theory. *Journal of Clinical Psychology*, 75(4), 780–793.

Références bibliographiques

- Høeg, B. L., Appel, C. W., von Heymann-Horan, A. B., Frederiksen, K., Johansen, C., Bøge, P., . . . Bidstrup, P. E. (2017). Maladaptive coping in adults who have experienced early parental loss and grief counseling. *Journal of Health Psychology*, 22(14), 1851–1861.
- Hollingshaus, M. S., et Smith, K. R. (2015). Life and death in the family: Early parental death, parental remarriage, and offspring suicide risk in adulthood. *Social Science & Medicine*, 131, 181–189.
- Inhestern, L., Bultmann, J. C., Johannsen, L. M. et al., “Estimates of Prevalence Rates of Cancer Patients With Children and Well-Being in Affected Children: A Systematic Review on Population-Based Findings,”*Frontiers in Psychiatry* 12 (2021): 765314, <https://doi.org/10.3389/fpsy.2021.765314>
- Kaplan, J., Block, R., Gillard, A., & Putnam, M. (2022). Inventory of Youth Adaptation to Loss (IYAL): Psychometric Testing of a New Instrument for Bereaved Youth to Assess Social Support and Coping. *Omega: Journal of Death & Dying*, 86(2), 503–532. <https://doi.org/10.1177/0030222820976299>
- Karlsson, E., Andersson, K., et Ahlström, B. H. (2013). Loneliness despite the presence of others—adolescents' experiences of having a parent who becomes ill with cancer. *European Journal of Oncology Nursing*, 17(6), 697-703.
- Keenan, A. (2014). Parental loss in early adolescence and its subsequent impact on adolescent development. *Journal of child psychotherapy*, 40(1), 20-35.
- Li, Y., Chan, W. C., et Marrable, T. (2023). "I never told my family I was grieving for my mom": The not-disclosing-grief experiences of parentally bereaved adolescents and young adults in Chinese families. *Family Process*, 62(2), 654–669. <https://doi.org/10.1111/famp.12813>
- Lindemann, E. (1999). A first glance, acute grief would not seem to be a medical or psychiatric disorder in the strict sense of the word but rather a normal reaction to a distressing situation. However, the understanding of reactions to traumatic experiences, whether or not they represent clear-cut neuroses, has become of ever-increasing importance to the psychiatrist. Bereavement or the. *Essential Papers on Post Traumatic Stress Disorder*, 14, 136.
- Ludik, D., et Greeff, A. P. (2022). Exploring factors that helped adolescents adjust and continue with life after the death of a parent. *OMEGA-Journal of Death and Dying*, 84(4), 964-984.
- Lundberg, T., Forinder, U., Olsson, M., Fürst, C. J., Årestedt, K. et Alvariza, A. (2018). Bereavement stressors and psychosocial well-being of young adults following the loss of a parent—A cross-sectional survey. *European Journal of Oncology Nursing*, 35, 33-38. <https://doi.org/10.1016/j.ejon.2018.05.004>

Références bibliographiques

- Melcher, U., Sandell, R. et Henriksson, A. (2015). Maintaining everyday life in a family with a dying parent: Teenagers' experiences of adapting to responsibility. *Palliative et supportive care*, 13(6), 1595-1601. <https://doi.org/10.1017/S1478951515000085>
- Mckeown, L., Campbell, K., Dempster, M., Groarke, J., et Graham-Wisener, L. (2025). Adolescent Loneliness When a Parent Has Cancer: A Qualitative Systematic Review. *Psycho-Oncology*, 34(4), e70148.
- Mireault, G. C. et Compas, B. E. (1997). A prospective study of coping and adjustment before and after a parent's death from cancer. *Journal of Psychosocial Oncology*, 14(4), 1-18.
- Olsson, M., undberg, T., Fürst, C. J., Öhlén, J. et Forinder, U. (2017). Psychosocial well-being of young people who participated in a support group following the loss of a parent to cancer. *Journal of Social Work in End-of-Life and Palliative Care*, 13(1), 44-60. <https://doi.org/10.1080/15524256.2016.1261755>
- Palmer, M., Saviet, M., et Tourish, J. (2016). Understanding and Supporting Grieving Adolescents and Young Adults. *Pediatric nursing*, 42(6), 275-281.
- Patterson, P. et Ranganathan, A. (2010). Losing a parent to cancer: A preliminary investigation into the needs of adolescents and young adults. *Palliative and Supportive Care*, 8(3), 255-265. doi:<https://doi.org/10.1017/S1478951510000052>
- Phillips, F. (2014). Adolescents living with a parent with advanced cancer: A review of the literature. *Psycho-Oncology*, 23(12), 1323-1339. <https://doi.org/10.1002/pon.3570>
- Prigerson, H. G., et Maciejewski, P. K. (2017). Rebuilding consensus on valid criteria for disordered grief. *JAMA Psychiatry*, 74(5), 435-436. <https://doi.org/10.1001/jamapsychiatry.2017.0293>
- Rando, T. (2000). The six dimensions of anticipatory mourning. In T. Rando (Ed.), *Clinical dimensions of anticipatory mourning*
- Sandler, I., Yun-Tien, J., Zhang, N., Wolchik, S., et Thieleman, K. (2021). Grief as a predictor of long-term risk for suicidal ideation and attempts of parentally bereaved children and adolescents. *Journal of Traumatic Stress*, 34(6), 1292-1302. <https://doi.org/10.1002/jts.22708>
- Sandler, I., Tein, J. Y., Zhang, N., et Wolchik, S. A. (2023). Developmental Pathways of the Family Bereavement Program to Prevent Major Depression 15 Years Later. *Journal of the American Academy of Child and Adolescent Psychiatry*, 62(11), 1233-1244. <https://doi.org/10.1016/j.jaac.2023.02.012>

Références bibliographiques

- Salloum, A., Bjoerke, A., & Johnco, C. (2019). The associations of complicated grief, depression, posttraumatic growth, and hope among bereaved youth. *OMEGA—Journal of Death Dying*, 79(2), 157–173.
- Sawyer, S. M., Afifi, R. A., Bearinger, L. H., Blakemore, S. J., Dick, B., Ezech, A. C. et Patton, G. C. (2012). Adolescence: A foundation for future health. *The lancet*, 379(9826), 1630-1640. doi:10.1016/S0140-6736(12)60531-5
- Schwartz, S. J., Zamboanga, B. L., Luyckx, K., Meca, A. et Ritchie, R. A. (2013). Identity in emerging adulthood: Reviewing the field and looking forward. *Emerging adulthood*, 1(2), 96-113. doi:10.1177/2167696813479781
- Schaadt, A. S., Bidstrup, P. E., Dall, I. C., Rosthøj, S., Karlsen, R. V., Guldin, M.-B., Søholm, A., Karstoft, K.-I., Dalton, S. O., et Høeg, B. L. (2025). Coping and grief symptoms after parental loss in adolescence - a nationwide follow-up study. *Death Studies*, 49(7), 936–945. <https://doi.org/10.1080/07481187.2024.2370464>
- Schaefer, L. M., Howell, K. H., Jamison, L. E., & Napier, T. R. (2025). The Function of Connection: Examining Social Supports in the Lives of Parentally Bereaved Youth. *Omega: Journal of Death & Dying*, 90(4), 1796–1819. <https://doi.org/10.1177/00302228221127827>
- Scott, M., Quinn, S., et Chambers, S. (2025). Growing around grief: the lived experience of parentally-bereaved young people in the UK. *Mortality*, 1-20.
- Sheehan, D. K., Mayo, M., Christ, G. H., Heim, K., Parish, S., Shahrour, G. et Draucker, C. B. (2016). Two worlds: Adolescents' strategies for managing life with a parent in hospice. *Palliative et supportive care*, 14(3), 177-186. doi:10.1017/S1478951515000735
- Sochos, A., et Aleem, S. (2021). Parental attachment style and young persons' adjustment to bereavement. *Child & Youth Care Forum*, 50, 1051–1070. <https://doi.org/10.1007/s10566-021-09638-2>
- Statistiques Canada 2022 repéré dans [Décès et taux de mortalité par groupe d'âge, selon certains groupes de causes](#)
- Stikkelbroek, Y., Boddien, D. H., Reitz, E., Vollebergh, W. A. et van Baar, A. L. (2016). Mental health of adolescents before and after the death of a parent or sibling. *European Child and Adolescent Psychiatry*, 25, 49-59. <https://doi.org/10.1007/s00787-015-0695-3>
- Stroebe, M., et Schut, H. (1999). The Dual Process Model of Coping With Bereavement: Rationale and description. *Death Studies*, 23, 197–224. doi:10.1080/074811899201046

Références bibliographiques

- Stroebe, M., Schut, H. et Stroebe W. (2007). Health outcomes of bereavement. *Lancet*, 370(9603), 1960-1973. [https://doi.org/10.1016/S0140-6736\(07\)61816-9](https://doi.org/10.1016/S0140-6736(07)61816-9)
- Stroebe, M.S., Hansson, R.O., Schut, H. et Stroebe W. (2008). *Handbook of bereavement research and practice: Advances in theory and intervention*. American Psychological Association.
- Stroebe, M., et Schut, H. (2010). The dual process model of coping with bereavement: A decade on. *OMEGA-Journal of Death and Dying*, 61(4), 273-289
- Stroebe, M. et Schut, H. (2015). Family matters in bereavement: Toward an integrative intra-interpersonal coping model. *Perspectives on Psychological Science*, 10(6), 873-879.
- Swanson, J. A. (2016). Trends in literature about emerging adulthood: Review of empirical studies. *Emerging Adulthood*, 4(6), 391-402. <https://doi.org/10.1177/2167696816630468>
- Tang, A., Lahat, A., Crowley, M. J., Wu, J., et Schmidt, L. A. (2019). Neurodevelopmental differences to social exclusion: An event-related neural oscillation study of children, adolescents, and adults. *Emotion*, 19(3), 520.
- Thupayagale-Tsheweneagae, G. et Mokomane, Z. (2012). Inclusiveness: A mental health strategy for preventing future mental health problems among adolescents orphaned by AIDS. *Journal of Psychiatric and Mental Health Nursing*, 19(8), 746-750. <https://doi.org/10.1111/j.1365-2850.2011.01855.x>
- Torbic, H. (2011). Children and grief: but what about the children? *Home Healthcare Now*, 29(2), 67-77.
- Walsh, K. (2011). *Grief and loss: Theories and skills for the helping professions*. Pearson Australia Limited.
- Werner-Lin, A., et Biank, N. M. (2013). Holding parents so they can hold their children: Grief work with surviving spouses to support parentally bereaved children. *OMEGA: Journal of Death and Dying*, 66(1), 1-16.
- Wray, A., Pickwell-Smith, B., Greenley, S., Pask, S., Bamidele, O., Wright, B., ... et Boland, J. W. (2022). Parental death: a systematic review of support experiences and needs of children and parent survivors. *BMJ Supportive & Palliative Care*.
- World Health Organization. (2021). Adolescent health. https://www.who.int/healthtopics/adolescent-health/#tab=tab_1